

本センター研究者による公表論文リスト

2012 年

■査読のある論文

著者・著作名
Abrajevitch, A., Zybrev, S., Didenko, A. N. and Kodama, K., Palaeomagnetism of the West Sakhalin Basin: evidence for northward displacement during the Cretaceous, <i>Geophysical Journal International</i> , 190, 3, 1439–1454, 2012.
Bart, P. and Iwai, M., The overdeepening hypothesis: How erosional modification of the marine–scape during the early Pliocene altered glacial dynamics on the Antarctic Peninsula’s Pacific margin, <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 335–336, 42–51, 2012.
Channell, J. E. T., Ohneiser, C., Yamamoto, Y. and Kesler, M. S., Oligocene–Miocene magnetic stratigraphy carried by biogenic magnetite at sites U1334 and U1335 (equatorial Pacific Ocean), <i>Geochemistry Geophysics Geosystems</i> , 14, 265–282, doi:10.1029/2012GC004429, 2013.
Cook, C. P., van De Flierdt, T., Trevor Williams, Sidney R. Hemming, Iwai, M., Kobayashi, M., Jimenez–Espejo, F. J., Escutia, C., Gonzalez, J. J., Khim, B.–K., McKay, R. M., Passchier, S., Bohaty, S. M., Riesselman, C. R., Tauxe, L., Sugisaki, S., Galindo, A. L., Patterson, M. O., Sangiorgi, F., Pierce, E. L., Brinkhuis, H., Klaus, A., Fehr, A., Bendle, J. A. P., Bijl, P. K., Carr, S. A., Dunbar, R. B., Flores, J. A., Hayden, T. G., Katsuki, K., Kong, G. S., Nakai, M., Olney, M. P., Pekar, S. F., Pross, J., Rohl, U., Sakai, T., Shrivastava, P. K., Stickley, C. E., Tuo, S., Welsh, K. and Yamane, M., Dynamic behaviour of the East Antarctic ice sheet during Pliocene warmth, <i>Nature Geoscience</i> , 6, 765–769, 2013.
Fitriani, D., Safiuddin, L. O., Kodama, K. and Bijaksana, S., Method in estimating mass–specific magnetic susceptibility of strongly magnetic or low quantity substances, <i>Latinmag Letters</i> , 2, 1, 1–17, 2012.
Guidry, E. P., Richter, C., Acton, G. D., Channell, J. E. T., Evans, H. F., Ohneiser, C., Yamamoto, Y. and Yamazaki, T., Oligocene–Miocene magnetostratigraphy of deep–sea sediments from the equatorial Pacific (IODP Site U1333), In: Jovane, L., Herrero–Bervera, E., Hinnov, L. A. & Housen, B. A. (eds) 2012. <i>Magnetic Methods and the Timing of Geological Processes</i> , 373, 2012.
Hashimoto, Y., N. Doi, and T. Tsuji, Difference in acoustic properties at seismogenic fault along a subduction interface: Application to estimation of effective pressure and fluid pressure ratio, <i>Tectonophysics</i> , 600, 134–141. 2013
Ikehara, M., Miura, H., Nakai, M., Nakazawa, T., Sano, O. and Koide, H., Overview: Special Issue on “Paleoenvironmental Changes in the Antarctic Cryosphere: Global Climate Change Investigated in the Southern Ocean”, <i>Journal of Geography</i> , 121, 3, 471–473, 2012.

Inagaki, T., Matsumura, M., Mizoo, M., Kawamura, Y., Kato, H. and Nishioka, T., Co-NQR Study on Successive Magnetic Phase under Pressure in Non-centrosymmetric CeCoGe ₃ , <i>Journal of Physics: Conference Series</i> , 400, 3, 032026, 2012.
Ishii, I., Suetomi, Y., Muneshige, H., Kamikawa, S., Fujita, T. K., Tanimoto, S., Nishioka, T. and Suzuki, T., Successive Phase Transitions and Anisotropic Magnetic Field-Temperature Phase Diagram in NdRu ₂ Al ₁₀ , <i>Journal of Physical Society of Japan</i> , 81, 6, 064602, 2012.
Katsuki, K., Ikehara, M., Yokoyama, Y., Yamane, M. and Khim, B.-K., Holocene migration of oceanic front systems over the Conrad Rise in the Indian Sector of the Southern Ocean, <i>Journal of Quaternary Science</i> , 27, 2, 203-210, 2012.
Kawamura, Y., Hirai, D., Nishioka, T., Matsubayashi, K., Uwatoko, Y., Yoshizawa, H. and Sekine, C., Hall effect of Ce(Ru _{1-x} Fe _x) ₂ Al ₁₀ single crystal, <i>Journal of Physics : Conference Series</i> , 391, 1, 012028, 2012.
Kawamura, Y., Tanimoto, S., Nishioka, T., Tanida, H., Sera, M., Matsubayashi, K., Uwatoko, Y., Kondo, A., Kindo, K. and Sekine, C., Magnetic phase diagram and crystalline electric field of NdRu ₂ Al ₁₀ single crystal, <i>Journal of Physics : Conference Series</i> , 391, 1, 012029, 2012.
Kiyokawa, S., Ito, T., Ikehara, M., Yamaguchi, K. E., Koge, S. and Sakamoto, R., Lateral variations in the lithology and organic chemistry of a black shale sequence on the Mesoarchean seafloor affected by hydrothermal processes: The Dixon Island Formation of the coastal Pilbara Terrane, Western Australia, <i>Island Arc</i> , 21, 2, 118-147, 2012.
Kiyokawa, S., Koge, S., Ito, T., Ikehara, M., Kitajima, F., Yamaguchi, K. E. and Suganuma, Y., Preliminary report on the Dixon Island - Cleaverville Drilling Project, Pilbara Craton, Western Australia, <i>Geological Survey of Western Australia</i> , 2012/14, 39, 2012.
Kiyokawa, S., Ninomiya, T., Nagata, T., Oguri, K., Ito, T., Ikehara, M. and Yamaguchi, K. E., Effects of tides and weather on sedimentation of iron-oxyhydroxides in a shallow-marine hydrothermal environment at Nagahama Bay, Satsuma Iwo-Jima Island, Kagoshima, southwest Japan, <i>Island Arc</i> , 21, 2, 66-78, 2012.
Kumagai, K., Kawashima, K., Akakabe, M., Tsuda, M., Abe, T. and Tsuda, M., Synthesis and hyperpolarized ¹⁵ N NMR studies of ¹⁵ N-choline-d ₁₃ , <i>Tetrahedron</i> , 69, 19, 3896-3900, 2013.
Kunimori, K., Nakamura, M., Nohara, H., Tanida, H., Sera, M., Nishioka, T. and Matsumura, M., Unusual magnetic order in CeT ₂ Al ₁₀ (T=Ru,Os) in comparison with localized NdFe ₂ Al ₁₀ , <i>Physical Review B</i> , 86, 24, 245106, 2012.
Kuwae, M., Yamamoto, M., Ikehara, K., Irino, T., Takemura, K., Sagawa, T., Sakamoto, T., Ikehara, M. and Takeoka, H., Stratigraphy and wiggle-matching-based age-depth model of late Holocene marine sediments in Beppu Bay, southwest Japan, <i>Journal of Asian Earth Sciences</i> , 69, 133-148, 2013.
Maharaj, D., Elbra, T. and Pesonen, L. J., Physical Properties of the Drill Core from the El' gygytgyn Impact Structure, NE Russia., <i>Meteoritics & Planetary Science</i> , (In Press).

<p>Matsumura, M., Inagaki, T., Kato, H., Nishioka, T., Tanida, H. and Sera, M., 27Al-NQR Study on Novel Phase Transition in CeOs₂Al₁₀, <i>Journal of Physics : Conference Series</i>, 400, 3, 032052, 2012.</p>
<p>Matsuyama, H., Minami, H., Kasahara, H., Kato, Y., Murayama, M. and Yumoto, I., <i>Pseudoalteromonas arabiensis</i> sp. nov., a novel marine polysaccharide-producing bacterium, <i>International Journal of Systematic and Evolutionary Microbiology</i>, 63, 1805–1809, doi:10.1099/ijs.0.046604-0, 2013.</p>
<p>Nagano, K., Hasegawa, T., Ogita, N., Udagawa, M., Tanida, H., Tanaka, D., Sera, M., Nishioka, T. and Matsumura, M., Raman scattering spectra of LaRu₂Al₁₀ and CeRu₂Al₁₀, <i>Journal of Physics : Conference Series</i>, 391, 1, 012050, 2012.</p>
<p>Naruse, H., Arai, K., Matsumoto, D., Takahashi, H., Yamashita, S., Tanaka, G. and Murayama, M., Sedimentary features observed in the tsunami deposits at Rikuzentakata City, <i>Sedimentary Geology</i>, 282, 30, 199–215, 2012.</p>
<p>Noguchi, T., Tanikawa, W., Hirose, T., Lin, W., Kawagucci, S., Takashima, T., Honda, M. C., Takai, K., Kitazato, H. and Okamura, K., Dynamic process of turbidity generation triggered by the 2011 Tohoku–Oki earthquake, <i>Geochemistry Geophysics Geosystems</i>, 13, 11, 2012.</p>
<p>Noguchi, T., Tanikawa, W., Hirose, T., Lin, W., Kawagucci, S., Takashima, T., Honda, M. C., Takai, K., Kitazato, H. and Okamura, K., Dynamic process of turbidity generation triggered by the 2011 Tohoku–Oki earthquake, <i>Geochemistry Geophysics Geosystems</i>, 13, 11, 2012.</p>
<p>Okidono, K., Oota, T., Kurihara, H., Sumida, T., Nishioka, T., Kato, H., Matsumura, M. and Sasaki, O., Temperature oscillation suppression of GM cryocooler, <i>Journal of Physics : Conference Series</i>, 400, 5, 052026, 2012.</p>
<p>Oogane, Y., Kawamura, Y., Nishioka, T., Kato, H., Matsumura, M., Yamamoto, Y., Kodama, K., Tanida, H. and Sera, M., Dilution effect of Ce ion in CeRu₂Al₁₀, <i>Journal of Physics : Conference Series</i>, 400, 3, 032073, 2012.</p>
<p>Palike, H., Lyle, M. W., Nishi, H., Raffi, I., Ridgwell, A., Gamage, K., Klaus, A., Acton, G., Anderson, L., Backman, J., Baldauf, J., Beltran, C., Bohaty, S. M., Bown, P., Busch, W., Channell, J. E. T., Chun, C. O. J., Delaney, M., Dewangan, P., Jones, T. D., Edgar, K. M., Evans, H., Fitch, P., Foster, G. L., Gussone, N., Hasegawa, H., Hathorne, E. C., Hayashi, H., Herrle, J. O., Holbourn, A., Hovan, S., Hyeong, K., Iijima, K., Ito, T., Kamikuri, S., Kimoto, K., Kuroda, J., Leon-Rodriguez, L., Malinverno, A., Moore, J. T. C., Murphy, B. H., Murphy, D. P., Nakamura, H., Ogame, K., Ohneiser, C., Richter, C., Robinson, R., Rohling, E. J., Romero, O., Sawada, K., Scher, H., Schneider, L., Sluijs, A., Takata, H., Tian, J., Tsujimoto, A., Wade, B. S., Westerhold, T., Wilkens, R., Williams, T., Wilson, P. A., Yamamoto, Y., Yamamoto, S., Yamazaki, T. and Zeebe, R. E., A Cenozoic record of the equatorial Pacific carbonate compensation depth, <i>Nature</i>, 488, 7413, 609–614, 2012.</p>

<p>Pant, N. C., Biswas, P., Shrivastava, P. K., Bhattacharya, S., Verma, K., Pandey, M. and Party, I. E. S., Provenance of Pleistocene sediments from Site U1359 of the Wilkes Land IODP Leg 318 – evidence for multiple sourcing from the East Antarctic Craton and Ross Orogen, <i>Antarctic Palaeoenvironments and Earth–Surface Processes</i>, 381, 277–297, 2013.</p>
<p>Paterson, G. A., Biggin, A. J., Yamamoto, Y. and Pan, Y., Towards the robust selection of Thellier–type paleointensity data: The influence of experimental noise, <i>Geochemistry Geophysics Geosystems</i>, 13.Q05Z43, doi:10.1029/2012GC004046, 2012.</p>
<p>Pross, J., Contreras, L., Bijl, P. K., Greenwood, D. R., Bohaty, S. M., Schouten, S., Bendle, J. A., Roohl, U., Tauxe, L., Raine, J. I., Huck, C. E., van de Flierdt, T., Jamieson, S. S. R., Catherine, E. S., van de Schootbrugge, B., Carlota, E., Brinkhuis, H. and Scientists, I. O. D. P. E., Persistent near–tropical warmth on the Antarctic continent during the early Eocene epoch, <i>Nature</i>, 488, 73–77, 2012.</p>
<p>Raiskila, S., Preeden, U., Heikkila, P., Elbra, T. and Pesonen, L. J., Physical properties of Vilppula drill cores and petrographic analysis of associated breccias in Keurusselka impact structure, central Finland., <i>Studia Geophysica et Geodaetica</i>, 56, 3, 659–676, 2012.</p>
<p>Rella, S. F., Tada, R., Nagashima, K., Ikehara, M., Itaki, T., Ohkushi, K., Sakamoto, T., Harada, N. and Uchida, M., Abrupt changes of intermediate water properties on the northeastern slope of the Bering Sea during the last glacial and deglacial period, <i>Paleoceanography</i>, 27, PA3203, doi:10.129/2011PA002205, 2012.</p>
<p>Robert, J., Mignot, J.–M., Petit, S., Steffens, P., Nishioka, T., Kobayashi, R., Matsumura, M., Tanida, H., Tanaka, D. and Sera, M., Anisotropic Spin Dynamics in the Kondo Semiconductor CeRu₂Al₁₀, <i>Physical Review Letters</i>, 109, 26, 267208, 2012.</p>
<p>Sagawa, T., Yokoyama, Y., Ikehara, M. and Kuwae, M., Shoaling of the western equatorial Pacific thermocline during the last glacial maximum inferred from multispecies temperature reconstruction of planktonic foraminifera, <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i>, 346–347, 120–129, 2012.</p>
<p>Sagawa, T., Yokoyama, Y., Ikehara, M. and Kuwae, M., Shoaling of the western equatorial Pacific thermocline during the last glacial maximum inferred from multispecies temperature reconstruction of planktonic foraminifera, <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i>, 346–347, 120–129, 2012.</p>
<p>Saitoh, Y. and Masuda, F., Spatial change of grading pattern of subaqueous flood deposits in Lake Shinji, Japan, <i>Journal of Sedimentary Research</i>, 83, 3, 193–205, 2013.</p>
<p>Sato K., Yamaji A., Tonai S., Parametric and non–parametric statistical approaches to the determination of paleostress from dilatant fractures: Application to an Early Miocene dike swarm in central, <i>Tectonophysics</i>, 588, 69–81, 10.1016/j.tecto.2012.12.008, 2013.</p>

<p>Sato, M., Yamamoto, Y., Nishioka, T., Kodama, K., Mochizuki, N. and Tsunakawa, H., Pressure effect on the low-temperature remanences of multidomain magnetite: change in the Verwey transition temperature due to high pressure, <i>Geophys. Res. Lett.</i>, 39, 4, 2012.</p>
<p>Suzuki, T., Ishii, I., Suetomi, Y., Muneshige, H., Fujita, T. K., Tanimoto, S. and Nishioka, T., Elastic anomalies at successive phase transitions in NdRu₂Al₁₀, <i>Journal of Physics : Conference Series</i>, 391, 1, 012069, 2012.</p>
<p>Suzuki, T., Watanabe, R., Uchida, H., Matsushima, R., Nagai, H., Yasumoto, T., Yoshimatsu, T., Sato, S. and Adachi, M., LC-MS/MS analysis of novel ovatoxin isomers in several <i>Ostreopsis</i> strains collected in Japan, <i>Harmful Algae</i>, 20, 81-91, 2012.</p>
<p>Tanida, H., Nonaka, Y., Tanaka, D., Sera, M., Kawamura, Y., Uwatoko, Y., Nishioka, T. and Matsumura, M., Magnetic anisotropy of Kondo semiconductor CeT₂Al₁₀ (T= Ru,Os) in the ordered state, <i>Physical Review B</i>, 85, 20, 205208, 2012.</p>
<p>Tanida, H., Nonaka, Y., Tanaka, D., Sera, M., Nishioka, T. and Matsumura, M., Anisotropic pressure effect on the electrical resistivity of CeRu₂Al₁₀, <i>Physical Review B</i>, 86, 6, 085144, 2012.</p>
<p>Tanimoto, Y., Yamaguchi, H., Yoshimatsu, T. and Adachi, M., Effects of temperature, salinity and their interaction on growth of toxic <i>Ostreopsis</i> sp. 1 and <i>Ostreopsis</i> sp. 6 (Dinophyceae) isolated from Japanese coastal waters, <i>Fisheries Science</i>, 79, 2, 285-291, 2013.</p>
<p>Tauxe, L., Stickley, C. E., Sugisaki, S., Bijl, P. K., Bohaty, S., Brinkhuis, H., Escutia, C., Flores, J. A., Iwai, M., Jimenez-Espejo, F., McKay, R., Passchier, S., Pross, J., Riesselman, C., Rohli, U., Sangiorgi, F., Welsh, K. and Williams, T., Integrated biomagnetostratigraphy of the Wilkes Land Margin for reconstruction of 53 Ma of Antarctic Margin paleoceanography: New results from IODP Expedition 318, <i>Paleoceanography</i>, 27, PA2214, 2012.</p>
<p>Westerhold, T., Rohl, U., Wilkens, R., Palike, H., Lyle, M., Dunkley Jones, T., Bown, P., Moore, T., Kamikuri, S., Acton, G., Ohneiser, C., Yamamoto, Y., Richter, C., Fitch, P., Scher, H., Liebrands, D. and the Expeditions 320/321 scientists, Revised composite depth scales and integration of IODP Sites U1331-U1334 and ODP Sites 1218-1220, <i>PROCEEDINGS OF THE INTEGRATED OCEAN DRILLING PROGRAM</i>, 320/321, 2012.</p>
<p>Yamaguchi, H., Tanimoto, Y., Yoshimatsu, T., Sato, S., Nishimura, T., Uehara, K. and Adachi, M., Culture method and growth characteristics of marine benthic dinoflagellate <i>Ostreopsis</i> spp. isolated from Japanese coastal waters, <i>Fisheries Science</i>, 78, 5, 993-1000, 2012.</p>
<p>Yamaguchi, H., Yoshimatsu, T., Tanimoto, Y., Sato, S., Nishimura, T., Uehara, K. and Adachi, M., Effects of temperature, salinity and their interaction on growth of the benthic dinoflagellate <i>Ostreopsis</i> cf. <i>ovata</i> (Dinophyceae) from Japanese coastal waters, <i>Phycol. Res.</i>, 60, 4, 297-304, 2012.</p>

Yamamoto, Y., Data report: temporal variation in natural remanent magnetization observed for Pacific plate basement rocks: compilation from legacy data and new paleomagnetism and rock magnetism data from seafloor basalts cored during Expedition 320/321, PROCEEDINGS OF THE INTEGRATED OCEAN DRILLING PROGRAM, 320/321, 2013.
Yamazaki, T. and Ikehara, M., Origin of magnetic mineral concentration variation in the Southern Ocean, Paleceanography, 27, PA226, doi:10.1029/2011PA002271, 2012.
Yamazaki, T., Yamamoto, Y., Acton, G., Guidry, E.P. and Richter, C., Rock-magnetic artifacts on long-term relative paleointensity variations in sediments, Geochemistry Geophysics Geosystems, 14, 29-43, 2013.
池原 実, 南大洋における海洋フロントの南北シフト～現代および第四紀後期の海氷分布, 南極前線, 南極周極流の移動と気候変動のリンケージ～, 地学雑誌, 121, 3, 518-535, 2012.
西岡 孝, 小型 GM 冷凍機を用いた 1K 以下の極低温環境の実現, 高圧力の科学と技術, 22, 3, 191-197, http://dx.doi.org/10.4131/jshpreview.22.191 , 2012.
橋本 善孝, 紀州白亜系四万十帯美山層のメラングジュ変形構造と温度圧力履歴, 地質学雑誌, 118, 補遺, 107-115, doi: 10.5575/geosoc.2012, 2012.
道林 克禎, 森下 知晃, 村山 雅史, 西弘 嗣, 尾鼻 浩一郎, 鈴木 庸平, 高澤 栄一, 山田 康広, 横山 祐典, スコットランド南東部シッカー岬とハットンの不整合, 地質学雑誌, 118, 11, 9-10, 2012.
吉岡 薫, 廣瀬 孝太郎, 入月 俊明, 河野 重範, 野村 律夫, 後燈明 あすみ, 岩井 雅夫, 兵庫県播磨灘北部沿岸域における過去数百年間の珪藻群集と海洋環境の変化, 第四紀研究, 51, 2, 103-115, http://dx.doi.org/10.4116/jaqua.51.103 , 2012.

■査読のない論文

著者・著作名
池原 実, 掘削コア科学による地球環境システム変動研究拠点, 高知大学リサーチマガジン, 7, 14-15, 2012.
池原 実, 南極寒冷圏変動史の解読: 第四紀の全球気候システムにおける南大洋の役割を評価する「科学研究費補助金・基盤研究(A)」, 高知大学リサーチマガジン, 7, 4-5, 2012.
Ikehara, M., Kochi University Research Project 'Research Center for Global Environmental Change by Earth Drilling Sciences', JSPS SF Newsletter, 25, 11, 2012.
岩井 雅夫, 8 自然分野分科会, 平成 23 年度共通教育活動報告書, 18-21, 2012.

Elbra, T., Pressure effects on rock magnetic properties of iron-sulfide samples, Contributions to Geophysics and Geodesy, 42, Special issue, 26, 2012.

安田 尚登, 東部南海トラフ海域のコア試料を用いた年代推定に関する研究, 平成 24 年度 独立行政法人石油天然ガス・金属鉱物資源機構 - 高知大学共同研究報告書, 1-18, 2013.